INGENIA PINKING RESISTANT WHITE MASTERBATCH

May 2019



Pinking Resistant White MB

- TiO2 can catalyze degradation including gas fading and pinking.
- Durable TiO2 can help, but is not the optimal solution.
- Ingenia has developed pinking resistant white masterbatch containing proprietary technology to prevent formation of colored chromophores.
- Ingenia IP1001 is the grade of choice and its performance is proven in industry. Contact Ingenia Customer Service to learn more!



INGENIA

©2019 Ingenia Polymers. To the extent the user is entitled to disclose and distribute this document, the user may forward, distribute, and/or photocopy this copyrighted document only if unaltered and complete, including all of its headers, footers, disclaimers, and other information. You may not copy this document to a Web site. The information in this document relates only to the named product or materials when not in combination with any other product or materials. We based the information on data believed to be reliable on the date compiled, but we do not represent, warrant, or otherwise guarantee, expressly or impliedly, the merchantability, fitness for a particular purpose, suitability, accuracy, reliability, or completeness of this information or the products, materials, or processes described. The user is solely responsible for all determinations regarding any use of material or product and any process in its territories of interest. We expressly disclaim liability for any loss, damage, or injury directly or indirectly suffered or incurred as a result of or related to anyone using or relying on any of the information in this document. There is no endorsement of any product or process, and we expressly disclaim any contrary implication. The terms, "we", "our", "Ingenia Polymers", or "Ingenia" are used for convenience. 'Superblend', 'Superlink', 'Rototuf', 'Rotolite' etc. are trademarks of Ingenia Polymers.